

# Safety Data Sheet

Stock Number: 10-QT  
Revision Date: 07-12-2017  
Replaces: 07-11-2017

## PAINT SEALANT - QUART

### 1. Identification

**Product identifier used on the label:** PAINT SEALANT - QUART  
**Stock Number:** 10-QT

**Other means of identification:**  
**Synonyms:** None Known

**Recommended use of the chemical and restrictions on use:**  
**Recommended use:** Paint  
**Restrictions on use:** Uses other than recommended use.

**Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:** ITW Evercoat  
a division of Illinois Tool Works Inc.  
6600 Cornell Road  
Cincinnati, OH 45242  
513-489-7600

**Telephone number:** CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

**Emergency phone number:** CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666

### 2. Hazard(s) identification

**Classification of the chemical in accordance with paragraph (d) of §1910.1200:**

**GHS Hazard Symbols:**



**GHS Classification:** Skin Sensitisation Category 1  
Carcinogenicity Category 1A  
Reproductive Toxicity Category 1B  
Serious Eye Damage/Eye Irritation Category 2A  
Flammable Liquid Category 3  
Hazardous to the aquatic environment - Acute Category 3  
Hazardous to the aquatic environment - Chronic Category 3

**Signal Word:** Danger

**Hazard Statements:** Flammable liquid and vapor.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

May cause cancer.  
May damage fertility or the unborn child.  
Harmful to aquatic life.  
Harmful to aquatic life with long lasting effects.

## Precautionary Statements:

### Prevention:

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing dust/fume/gas/mist/ vapors/spray.  
Wash with soap and water thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Response:

IF ON SKIN: Wash with plenty of soap and water.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
Specific treatment (see Sections 4 to 8 on the SDS and any additional information on the label).  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Wash contaminated clothing before reuse.

### Storage:

In case of fire: Use appropriate media to extinguish.  
Keep container tightly closed. Store in a well-ventilated place. Keep cool.  
Store locked up.

### Disposal:

Dispose of contents in accordance with your local disposal company along with national/international regulations.

### Hazards not otherwise classified:

No data available

## 3. Composition/information on ingredients

Chemical Name	Common name and	CAS #	%
---------------	-----------------	-------	---

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

	<b>synonyms</b>		
Methanol	None Known	67-56-1	0.1 - 1
Butylated Hydroxytoluene	None Known	128-37-0	0.1 - 1
Distillates (Petroleum), Hydrotreated Heavy Naphtha	None Known	64742-52-5	0.5 - 1.5
Oleamide DEA	None Known	93-83-4	0.5 - 1.5
Polydimethylsiloxanes	None Known	63148-62-9	1 - 5
Kaolin Clay	None Known	66402-68-4	1 - 5
Petroleum distillates Hydrotreated	None Known	64742-47-8	5 - 10
Hydrotreated Heavy Naphtha	None Known	68551-16-6	5 - 10
Calcined Kaolin Clay	None Known	66402-68-4	5 - 10

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

**Eye Contact:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this SDS. If swallowed, have a trained medical professional induce vomiting immediately. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Most important symptoms/effects, acute and delayed:** May cause an allergic skin reaction. Causes serious eye irritation

**Indication of immediate medical attention and special treatment needed, if necessary:** If exposed or concerned: Get medical advice/attention. Specific treatment (see Sections 4 to 8 on the SDS and any additional information on this label).

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

## 5. Fire-fighting measures

### Suitable (and unsuitable) extinguishing media:

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

**Unsuitable extinguishing media:** No data available

### Specific hazards arising from the chemical:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

**Hazardous combustion products:** Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

### Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

### Methods and materials for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in regular trash.

## 7. Handling and storage

### Precautions for safe handling:

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area.

### Conditions for safe storage, including any incompatibilities:

**Safe storage conditions:** Store in a cool dry place. Isolate from incompatible materials.

### Materials to Avoid/Chemical Incompatibility:

Acidic conditions, Aluminum alloys, Strong acids, Strong oxidizing agents, Strong alkalies

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available	No data available	No data available	No data available	No data available

**Appropriate engineering controls:** No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

**Individual protection measures, such as personal protective equipment:**

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

**Eye protection:** Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield

**Skin protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use of protective coveralls and long sleeves is recommended. Where use can result in skin contact, practice good personal hygiene.

**Gloves:** Protective gloves are recommended when prolonged skin contact cannot be avoided.

**Other protective equipment:** Use of protective coveralls and long sleeves is recommended. Where use can result in skin contact, practice good personal hygiene. Wear goggles and a Face shield

**General hygiene conditions:** Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

workplace. Wash with soap and water thoroughly after handling.

## 9. Physical and chemical properties

### Appearance (physical state, color etc.):

Physical state:	Liquid
Color:	White/Neutral
Odor:	Hydrocarbon
Odor Threshold:	No data available
pH:	No data available
Melting point/freezing point (°C):	
Melting Point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range (°C):	100
Flash Point (°C):	43
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	No data available
Lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1
Solubility(ies):	Insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature (°C):	No data available
Decomposition temperature (°C):	No data available
Viscosity:	No data available
Volatile Organic Chemicals:	0
VOC (as packaged-less exempts and water):	<10% or

## 10. Stability and reactivity

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

---

<b>Reactivity:</b>	Not expected to be reactive
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None expected under standard conditions of storage
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	Contamination
<b>Incompatible materials:</b>	Acidic conditions, Aluminum alloys, Strong acids, Strong oxidizing agents, Strong alkalies
<b>Hazardous decomposition products:</b>	Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

## 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Absorption, Eye contact, Skin contact, Ingestion, Inhalation

**Symptoms related to the physical, chemical and toxicological characteristics:** May cause an allergic skin reaction. Causes serious eye irritation

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Ingestion Toxicity:** Harmful if swallowed. May cause systemic poisoning.

**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. No absorption hazard in normal industrial use.

**Inhalation Toxicity:** Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage (see "Target Organs")

**Eye Contact:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

**Sensitization:** May cause an allergic skin reaction

**Mutagenicity:** No data

**Reproductive and Developmental Toxicity:** Classification has been based on toxicological information of the components in Section 3.

**Carcinogenicity:** Classification has been based on toxicological information of the components in Section 3.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

## Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates Hydrotreated	No data available	DERMAL LD50 Rabbit > 2000 mg/kg	No data available
Polydimethylsiloxanes	ORAL LD50 Rat > 24 g/kg	No data available	No data available
Oleamide DEA	ORAL LD50 Rat 12400 ML/KG	No data available	No data available
Distillates (Petroleum), Hydrotreated Heavy Naphtha	ORAL LD50 Rat > 5000 mg/kg	DERMAL LD50 Rabbit > 2000 mg/kg	No data available
Butylated Hydroxytoluene	No data available	DERMAL LD50 Rat > 2000 MG/KG (NO DEATHS OCCURRED	No data available
Methanol	No data available	No data available	INHALATION LC50-8H Rat 22500 ppm

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components that are known or reported to cause cancer	N	N	N

## 12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Very toxic to aquatic life with long lasting effects  
May cause long lasting harmful effects to aquatic life  
Toxic to aquatic life with long lasting effects  
Toxic to aquatic life

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	48 HR EC50 DAPHNIA MAGNA > 1000 MG/L	No data available	96 HR LC50 ONCORHYNCHUS MYKISS > 5000 MG/L

Persistence and degradability:

No data

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

---

Bioaccumulative potential:	No data available
Mobility in soil:	No data available
Other adverse effects (such as hazardous to the ozone layer):	No data available

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:	Spent or discarded material is a hazardous waste.
---	---

Waste codes / waste designations:	D001
-----------------------------------	------

## 14. Transport information

### Carriage of dangerous goods by road (DOT), rail or inland waterways:

UN number:	No data available
------------	-------------------

UN Proper shipping name:	No data available
--------------------------	-------------------

Transport hazard class(es):	No data available
-----------------------------	-------------------

Packing group, if applicable:	No data available
-------------------------------	-------------------

DOT Basic description:	No data available
------------------------	-------------------

### International carriage of dangerous goods by sea (IMDG/IMO):

UN number:	No data available
------------	-------------------

UN Proper shipping name:	No data available
--------------------------	-------------------

Transport hazard class(es):	No data available
-----------------------------	-------------------

Packing group, if applicable:	No data available
-------------------------------	-------------------

### International carriage of dangerous goods by air (IATA):

UN number:	No data available
------------	-------------------

UN Proper shipping name:	No data available
--------------------------	-------------------

Transport hazard class(es):	No data available
-----------------------------	-------------------

Packing group, if applicable:	No data available
-------------------------------	-------------------

Environmental hazards (e.g., Marine pollutant (Yes/No)):	Yes
--	-----

Transport in bulk (according to Annex II	No data available
--	-------------------

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

of MARPOL 73/78 and the IBC Code):

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: No data available

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components in this product are on the TSCA Inventory.

### Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Water	7732-18-5	N	N	N	N
Calcined Kaolin Clay	66402-68-4	N	N	N	N
Hydrotreated Heavy Naphthe	68551-16-6	N	N	N	N
Petroleum distillates Hydrotreated	64742-47-8	N	N	N	N
Kaolin Clay	66402-68-4	N	N	N	N
Polydimethylsiloxane s	63148-62-9	N	N	N	N
Aminoalkoxydimethyl polysiloxane	69430-37-1	N	N	N	N
Sodium sulfate	7757-82-6	N	N	N	N
Oleamide DEA	93-83-4	N	N	N	N
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	N	N	N	N

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Water	7732-18-5	N	N	N	N
Calcined Kaolin Clay	66402-68-4	N	N	N	N
Hydrotreated Heavy Naphthe	68551-16-6	N	N	N	N
Petroleum distillates	64742-47-8	N	N	N	N

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

Hydrotreated Kaolin Clay	66402-68-4	N	N	N	N
Polydimethylsiloxane s	63148-62-9	N	N	N	N
Aminoalkoxydimethyl polysiloxane	69430-37-1	N	N	N	N
Sodium sulfate	7757-82-6	N	N	N	N
Oleamide DEA	93-83-4	N	N	N	N
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	N	N	N	N

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Water	7732-18-5	N	N	N	N	N
Calcined Kaolin Clay	66402-68-4	N	N	N	N	N
Hyrotreated Heavy Naphthe	68551-16-6	N	N	N	N	N
Petroleum distillates Hydrotreated	64742-47-8	N	N	N	N	N
Kaolin Clay	66402-68-4	N	N	N	N	N
Polydimethylsiloxane s	63148-62-9	N	N	N	N	N
Aminoalkoxydimethyl polysiloxane	69430-37-1	N	N	N	N	N
Sodium sulfate	7757-82-6	N	N	Y	N	N
Oleamide DEA	93-83-4	N	N	N	N	N
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	N	N	N	N	N

**16. Other information, including date of preparation or last revision.**

SDS Prepared by:

CAROL SHEEHY

Revision Date:

07-12-2017

# Safety Data Sheet

Product identifier used on the label: PAINT SEALANT - QUART

Stock Number: 10-QT

Revision Date: 07-12-2017

Replaces: 07-11-2017

---

**Revision Number:** 14

**Reason for revision:** Activated by Document Formulation Generation

**References:** No data available

**Disclaimer:** IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.