Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Quick Shine Aerosol

Product identifier: 59-S

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

Various industrial uses and applications

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

1275 Round Table Drive

Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:







GHS Classification: Flammable Liquid Category 1

Germ Cell Mutagenicity Category 1B

Carcinogenicity Category 1A

Skin Corrosion/Irritation Category 2

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2

Hazardous to the aquatic environment - Chronic Category 2

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

GHS Signal Word: Danger

GHS Hazard Statements: Extremely flammable liquid and vapour.

Causes skin irritation.

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

GHS Precautionary Statements: Safety Precautions:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

3. Composition/information on ingredients CAS number and other Chemical Component: % (or range) of ingredient unique identifiers n-Hexane 110-54-3 10 - 30 Naphtha (petroleum), hydrotreated 64742-49-0 10 - 30 light Butane 106-97-8 10 - 30 74-98-6 10 - 30 Propane

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Skin Contact:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Wash with soap and water. Remove contaminated clothing and

launder. Get medical attention if irritation develops or persists.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial

respiration and have a trained individual administer oxygen. Get

medical attention immediately.

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

No additional first aid information available

needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be

used to absorb heat and keep exposed material from being

damaged by fire.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Hazards:

Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition and flash back Extremely Flammable. Material will readily ignite at room temperatures.

Flammable Gas. Can readily form explosive air/gas mixture at room temperature or at lower temperatures that are above the flash point.

Container may explode in heat of fire.

Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death.

Hazardous Combustion Products:

Special protective equipment and precautions for fire-fighters:

Carbon dioxide, Carbon monoxide

Do not enter fire area without proper protection including self-contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending

a waste disposal evaluation.

7. Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing

the material. Use only in a well ventilated area. Use spark-proof

tools and explosion-proof equipment

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Keep away

from sources of ignition

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Oxidizing materials

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL No data available No data available	
n-Hexane	500 ppm	50 ppm		
Butane	No data available	800 ppm		
Propane	ropane 1000 ppm		No data available	

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid

overexposure. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below

recommended exposure limits Explosion proof exhaust ventilation should be used. Engineering controls must be designed to meet the

OSHA chemical specific standard in 29 CFR 1910. Engineering controls must be designed to control vapor concentrations to below

levels published in 29 CFR 1910.1000.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station

available. Wear goggles and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through

Page 5 of 9

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

and replace at regular intervals. Clean protective equipment

regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Respiratory Protection: Respiratory protection will be required when handling this product.

Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place

conditions warrant the use of a respirator.

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely, wear

chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid with propellant

Color: Clear Colorless

Odor:
Odor threshold:
PH:
No data available

Initial Boiling Point and Boiling Range (°C): -42
Flash Point (°C): -104.4

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%): 7.5

8.4 9.5 %

Lower Flammable/Explosive Limit (%): 1.1

Vapor Pressure:No data availableVapor Density:No data available

Relative Density:0.62Solubility(ies):InsolublePartition coefficient: n-octanol/water:2.36

Auto-ignition Temperature (°C):No data availableDecomposition Temperature:No data availableViscosity:No data available

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

10. Stability and reactivity

Reactivity: No data available

Stable under normal conditions. Chemical stability:

Possibility of hazardous

reactions:

No data available

Conditions to avoid (e.g., static

Elevated temperatures discharge, shock, or vibration): High temperatures Contamination

Incompatible materials: Strong oxidizing agents Oxidizing materials

11. Toxicological information

Information on the likely routes

Inhalation, Ingestion, Skin contact, Eye contact

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No data available

physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause severe respiratory irritation, dizziness, weakness, fatique, nausea,

headache and possible unconsciousness. High concentrations may be fatal.

This product is an asphyxiant gas that can cause unconsciousness or death if Oxygen

levels are sufficiently reduced.

Inhalation Toxicity: Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is

possible at high doses.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: No absorption hazard in normal industrial use.

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

> vomiting and diarrhea. Ingestion of this product may result in central nervous system effects including headache, sleepiness, dizziness, slurred speech and blurred vision. Aspiration of material into the lungs can cause chemical pneumonitis which

Ingestion Toxicity: Toxic if swallowed. May cause target organ failure and/or death.

Long-Term (Chronic) Health Effects:

Carcinogenicity: May cause cancer.

Reproductive and No data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Page **7** of **9**

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

Mutagenicity: May cause genetic defects.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see

"Target Organs).

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
n-Hexane	Oral LD50 Rat 28710 mg/kg		
Butane			Inhalation LC50 (4h) Rat 658 g/m3

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available	N	N	N

12. Ecological information

Ecotoxicity (aquatic and

Toxic to aquatic life with long lasting effects.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish		
	Aquatic EC50 Crustacea	Aquatic EC50 Crustacea Aquatic ERC50 Algae		

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is a hazardous waste.

Waste treatment methods Dispose of by incineration following Federal, State, Local, or

Product Name: Quick Shine Aerosol

Product identifier: 59-S **Revision Date:** 08-19-2016

Replaces:

(including packaging):

Provincial regulations.

Waste Disposal Code(s):

D001

14. Transport information

UN number: 1950

UN proper shipping name: AEROSOLS

Transport hazard class(es): 2.1

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
n-Hexane	110-54-3	N	N	Υ	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 9

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances