Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89

Other means of identification

Synonyms: No data available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

1275 Round Table Drive

Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

GHS Hazard Statements: No hazard statements required

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients				
Chemical Component:	CAS number and other	% (or range) of ingredient		
	unique identifiers	% (or range) or ingredient		
Hyrotreated Heavy Naphthe	68551-16-6	7 - 15		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Seek medical advice after flushing.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important

symptoms/effects (Acute):

No data available

No data available

symptoms/effects (Delayed):

Indication of immediate medical

attention and special treatment

needed, if necessary:

Most important

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Material may be ignited only if preheated to temperatures above

Hazards: the high flash point, for example in a fire.

Hazardous Combustion Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

Products:

Special protective equipment

and precautions for fire-

fighters:

carbon dioxide, carbon monoxide, i ormaldenyde, silicon dioxide

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment.

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations

found in Section VIII of this MSDS.

No special spill clean-up considerations. Collect and discard in

containment and cleaning up: regular trash.

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity. As with all

chemicals, good industrial hygiene practices should be followed

when handling this material.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage:

safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Strong acids Strong alkalies

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	hemical Component OSHA PEL		ACGIH STEL	
No data available	No data available	No data available	No data available	

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other

engineering controls to control airborne levels below

recommended exposure limits

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear safety glasses when handling this product. Wear goggles and

a Face shield

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and

long sleeves is recommended.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place

conditions warrant the use of a respirator.

Other Protective Equipment: Wear goggles and a Face shield Where use can result in skin

contact, practice good personal hygiene. Use of protective coveralls

and long sleeves is recommended.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state):
Color:
No data available
PH:
No data available
No data available
No data available
No data available

Initial Boiling Point and Boiling Range (°C): 100

Flash Point (°C):

Evaporation Rate:

Flammability (solid, gas):

No data available

No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%): No data available Lower Flammable/Explosive Limit (%): No data available **Vapor Pressure:** No data available Vapor Density: No data available **Relative Density:** Not determined Solubility(ies): No data available Partition coefficient: n-octanol/water: No data available **Auto-ignition Temperature (°C):** No data available **Decomposition Temperature:** No data available Viscosity: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardousNo data available

reactions:

Conditions to avoid (e.g., staticTemperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources

of ignition.

Contamination

Incompatible materials: Strong oxidizing agents Strong acids Strong alkalies

Hazardous decomposition Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

products:

11. Toxicological information

Information on the likely routes

Inhalation, Ingestion, Skin contact, Eye contact

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No data available

physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:Skin Contact:
No hazard in normal industrial use.
No hazard in normal industrial use.

Skin Absorption: No absorption hazard in normal industrial use. **Eye Contact:** Can cause minor irritation, tearing and reddening.

Ingestion Irritation: No hazard in normal industrial use.

Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is non-hazardous according to

environmental regulations.

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

14. Transport information

UN number:No data availableUN proper shipping name:Not RegulatedTransport hazard class(es):No data availablePacking group:No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Product Name: XP EXPRESS WAX 1 GAL.

Product identifier: 89 Revision Date: 08-19-2016

Replaces:

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Sodium hydroxide	1310-73-2	N	N	Υ	Ν

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 8

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances