# maleo º

# SAFETY DATA SHEET

#### 1. Identification

Product identifier EXPRESS SHINE SiO2 DETAIL SPRAY

Other means of identification

Product Code 1677

Recommended use Instant Detailer
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Malco Products, Inc.
361 Fairview Ave
Barberton, OH 44203

**United States** 

 Telephone
 Phone
 800-253-2526

 Fax
 330-753-2025

Website www.malcopro.com
E-mail msdsinfo@malcopro.com
Contact person Technical Department

Emergency phone number Phone 1-800-424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
tetrasodium;2-[2-[bis(carboxylatomet hyl)amino]ethyl-(carboxylatomethyl)a mino]acetate		64-02-8	< 0.3	_
"1,2,4-Trimethylbenzene"		95-63-6	< 0.1	

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY

1677 Version #: 01 Issue date: 10-30-2025

1 / 8

Chemical name	Common name and synonyms	CAS number	%
1,3,5-trimethylbenzene		108-67-8	< 0.1
2,2,4,4,6,6,8,8,10,10-decamethyl-1,3, 5,7,9,2,4,6,8,10-pentaoxapentasileca ne		541-02-6	< 0.1
2,2,4,4,6,6,8,8-octamethyl-1,3,5,7,2,4 ,6,8-tetraoxatetrasilocane		556-67-2	< 0.1
hexadecyl(trimethyl)azanium;chloride		112-02-7	< 0.1
Nonane		111-84-2	< 0.1
Octane		111-65-9	< 0.1
pentanedial		111-30-8	< 0.1
sodium;hydroxide		1310-73-2	< 0.1
Trimethylbenzene		25551-13-7	< 0.1
Other components below reportable le	evels		90 - 100

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

needed
General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Fire fighting equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

**General fire hazards** No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY 1677 Version #: 01 Issue date: 10-30-2025

# 7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Type	Contaminants (29 CFR 1910.1000) Value	
Octane (CAS 111-65-9)	PEL	2350 mg/m3	
		500 ppm	
sodium;hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
JS. ACGIH Threshold Limit Values Components	(TLV) Type	Value	
1,2,4-Trimethylbenzene" CAS 95-63-6)	TWA	10 ppm	
,3,5-trimethylbenzene (CAS 08-67-8)	TWA	10 ppm	
Ionane (CAS 111-84-2)	TWA	200 ppm	
Octane (CAS 111-65-9)	TWA	300 ppm	
entanedial (CAS 111-30-8)	Ceiling	0.05 ppm	
odium;hydroxide (CAS 310-73-2)	Ceiling	2 mg/m3	
Frimethylbenzene (CAS 25551-13-7)	TWA	10 ppm	
NOSH. Immediately Dangerous to	Life or Health (IDLH) Values,	as amended	
Components	Туре	Value	
Octane (CAS 111-65-9)	IDLH	1 %	
		1000 ppm	
odium;hydroxide (CAS 310-73-2)	IDLH	10 mg/m3	
JS. NIOSH: Pocket Guide to Chemi			
Components	Туре	Value	
1,2,4-Trimethylbenzene" CAS 95-63-6)	TWA	125 mg/m3	
		25 ppm	
,3,5-trimethylbenzene (CAS 08-67-8)	TWA	125 mg/m3	
		25 ppm	
Nonane (CAS 111-84-2)	TWA	1050 mg/m3	
		200 ppm	
Octane (CAS 111-65-9)	Ceiling	1800 mg/m3	
		385 ppm	
	TWA	350 mg/m3	
		75 ppm	
entanedial (CAS 111-30-8)	Ceiling	0.8 mg/m3	
		0.2 ppm	

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY

1677 Version #: 01 Issue date: 10-30-2025

# US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Type Trimethylbenzene (CAS TWA 125 mg/m3

25551-13-7)

Components

25 ppm

Value

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components **Type** Value 2,2,4,4,6,6,8,8,10,10-decam TWA 10 ppm ethyl-1,3,5,7,9,2,4,6,8,10-pen taoxapentasilecane (CAS 541-02-6) 2,2,4,4,6,6,8,8-octamethyl-1, **TWA** 10 ppm 3,5,7,2,4,6,8-tetraoxatetrasilo

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering

cane (CAS 556-67-2)

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid.

Liquid. Water-Thin Liquid **Form** Opaque. turquoise blue Color

Odor Blueberry **Odor threshold** Not available.

6.5

Melting point/freezing point Not available.

Initial boiling point and boiling

range

211.95 °F (99.97 °C) estimated

Not available. Flash point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

-0.01 hPa estimated Vapor pressure

Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density8.31 lb/gal @20CExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC0.2 % estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Prolonged skin contact may cause temporary irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

"1,2,4-Trimethylbenzene" (CAS 95-63-6)

**Acute** 

**Dermal** 

LD50 Rabbit > 3160 mg/kg

Oral

LD50 Rat 3280 mg/kg

Octane (CAS 111-65-9)

<u>Acute</u>

Inhalation

LC50 Rat > 23.36 mg/l, 4 Hours

pentanedial (CAS 111-30-8)

**Acute** 

Inhalation

LC50 Rat 0.28 mg/l, 4 Hours

sodium;hydroxide (CAS 1310-73-2)

**Acute** 

**Dermal** 

LD50 Rabbit 1350 mg/kg

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY 1677 Version #: 01 Issue date: 10-30-2025

Components Species Test Results

Oral

LD50 Rat 140 - 340 mg/kg

Trimethylbenzene (CAS 25551-13-7)

Acute Oral

LD50 Rat 8970 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**ACGIH** sensitization

Glutaraldehyde, activated and inactivated (CAS 111-30-8)

Dermal sensitization

Respiratory sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are mutagenic

or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

"1,2,4-Trimethylbenzene" (CAS 95-63-6)

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) 7.19 - 8.28 mg/l, 96 hours

1,3,5-trimethylbenzene (CAS 108-67-8)

**Aquatic** 

Acute

Fish LC50 Goldfish (Carassius auratus) 9.89 - 15.05 mg/l, 96 hours

hexadecyl(trimethyl)azanium;chloride (CAS 112-02-7)

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 0.06 - 0.15 mg/l, 96 hours

sodium; hydroxide (CAS 1310-73-2)

Aquatic

Acute

Crustacea EC50 Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY

1677 Version #: 01 Issue date: 10-30-2025

6 / 8

Components Species Test Results

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

tetrasodium;2-[2-[bis(carboxylatomethyl)amino]ethyl-(carboxylatomethyl)amino]acetate (CAS 64-02-8)

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

Persistence and degradability 
No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

"1,2,4-Trimethylbenzene"	3.78
1,3,5-trimethylbenzene	3.42
2,2,4,4,6,6,8,8,10,10-decamethyl-1,3,5,7,9,2,4,6,8,10-pentaoxapen	5.2
tasilecane	
2,2,4,4,6,6,8,8-octamethyl-1,3,5,7,2,4,6,8-tetraoxatetrasilocane	5.1
hexadecyl(trimethyl)azanium;chloride	3.23
Nonane	5.65
Octane	5.18
pentanedial	-0.33

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2,2,4,4,6,6,8,8-octamethyl-1,3,5,7,2,4,6,8-tetraoxatetrasilocane (CAS 556-67-2)

1.0 % One-Time Export Notification only.

Nonane (CAS 111-84-2)

1.0 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

Material name: EXPRESS SHINE SiO2 DETAIL SPRAY

SDS US

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
trisodium;2-[bis(carboxylatomethyl)amino]acetate	5064-31-3	< 0.1	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US** state regulations

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

10-30-2025 Issue date

Version # 01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information Disclaimer

and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper

use

1677 Version #: 01 Issue date: 10-30-2025